

 MITSUBISHI
ELECTRIC

ME110G

SET - + RESET MAX/MIN PHASE DISPLAY



 **MITSUBISHI ELECTRIC**
MULTI MEASURING INSTRUMENT
MODEL **ME110GR-4A2P**

PHASE, RATING 50 / 60 Hz
3-PHASE 3-WIRE, 1-PHASE 2-WIRE
440 V AC 5 A AC
1-PHASE 3-WIRE 220 / 440 V AC 5 A AC
CLASS A, V, W, var, Hz 0.5
 $\cos\phi$, Wh 2.0 varh, HI, HV 2.5

AUX. SUPPLY
100 - 240 V AC 50 / 60 Hz 9 VA
100 V DC 6 W

EXTERNAL SWITCH
100 - 240 V AC 50 / 60 Hz
100 V DC

ANALOG OUTPUT
4 - 20 mA DC (0 - 600 Ω)

PULSE OUTPUT FORM a
CONTACT RATING MAX 110 V AC 0.1 A AC
MAX 100 V DC 0.1 A DC



REFER TO
MANUAL

SERIAL No.
25YAD0090



MITSUBISHI ELECTRIC CORPORATION

MADE IN JAPAN



MITSUMI
MULTI-MEASURING INSTRUMENT
MODEL ME110GR-AZP
POWER: BATTERY
3.0VDC 500mAh
RESOLUTION: 0.001mm
MEASUREMENT RANGE: 0-100mm
MEASUREMENT RANGE: 0-100mm
MEASUREMENT RANGE: 0-100mm
MEASUREMENT RANGE: 0-100mm





C2B	C1B	NC	NC	CHA	CHB	CHZ	CHI
C2A	C1A	NC	NC	CHA ⁺	CHB ⁺	CHZ ⁺	CHI ⁺

⊕ MA SA P2 C3 C1
MB ZA P3 P1 C3 C1